Author Index of Volume 42

Aggawal, A. K., 163
Alam, K., 173
Anand, M., 201
Ando, A., 293
Ang, H. G., 87
Arimura, N., 293
Arora, S., 149
Averdunk, F., 413

Battais, A., 215
Blackburn, B. J., 173
Boutevin, B., 215
Burger, K., 51
Burton, D. J., 119

Cambon, A., 59
Campostrini, R., 93
Chang-Ming Hu, 69, 145
Chen, G. J., 371
Chen, L. S., 371
Ching-Sung Chi, 279
Chvatal, Z., 233
Coe, P. L., 389
Cook, M. I., 389
Cox, D. G., 119

Dahiya, R., 245
Das, M., 287
de Almeida Santos, R. H., 41
Dědek, V., 345
De-Hua Chen, 279

Fu-Kuang Liu, 279
Fukunishi, K., 105

Gard, G. L., 119, 187
Gui-Dong Zhu, 279

Haas, A., 265
Haworth, D. T., 287
Hoppe, R., 413

Ito, K., 17

Jain, R., 149
Janzen, A. F., 173
Jarman, M., 3
Jenq Tain Lin, 17
Jian-Guo Chen, 355
Jian-Jua Huang, 279
Joshi, K. C., 149

Kabat, M. M., 435
Kahl, T., 51
Kinoshita, S., 293
Klabunde, K. J., 93
Klare, C., 265
Kobrina, L. S., 301
Ktazume, T., 17
Kumadaki, I., 293
Kunz, J. C., 287
Kuwabara, M., 105

Lee, F. K., 87

Malik, S., 201
Mange, K. C., 137
Meier, T., 81
Messina, P. A., 137
Mews, R., 81
Middleton, W. J., 137
Miki, T., 293
Mital, R. L., 201
Mohtasham, J., 119, 187
Murakami, A., 105

Nagai, T., 293
Nomura, M., 105

Ohnogi, T., 17
Owen, I. R., 389

Paleta, O., 345
Pawelke, G., 429
Pews, R. G., 179
Peyton, D. H., 187
Pietrasanta, Y., 215
Poix, P., 257
Pola, J., 233
Pourroy, G., 257
Prakash, L., 201
Puckett, W. E., 179
Pujari, H. K., 245
Pulcinelli, S. H., 31, 41

Qing-Yun Chen, 355

Raj, P., 163
Reutschek, H., 345
Rüdiger, S., 403

Saxena, A. K., 163
Senegas, J., 31, 41
Shinada, T., 293
Szonyi, F., 59

Terjeson, R. J., 187
Timpe, H.-J., 345
Townsend, P. W., 441

Verma, S. S., 201
Vernice, G. G., 441

Wei-Yuan Huang, 145
Williams, R. L., 441

Yamanaka, H., 105
Yamazaki, T., 17

Ze-Qi Xu, 69, 145

© Elsevier Sequoia/Printed in The Netherlands

Subject Index of Volume 42

Alcohols
  and amines and Si compounds; reactions of phenyltellurium(VI) fluorides with, 173
  photochemical synthesis of fluoroalkanols based on tetrafluoroethylene, 345
Alkanes
  functionalisation of F-alkyl-2 ethane iodides by phase-transfer catalysis; importance of this technique in F-alkyl group, 59
  laser-powdered homogeneous decomposition of 1-bromo-1-chloro-2,2,2-trifluoroethane, 233
  reactions of tetrafluoroethane oligomers; flash vacuum thermolysis of some products derived from pentamer and hexamer oligomers, 389
  tetrakis(dimethylamino)ethylene/trifluoroiodomethane; specific novel trifluoromethylating agent, 429
  1,1,1-trichloro-3-[5-(2,4,6-trifluoropyrimidyl)]-3,4-epoxybutane, 179
Alkanols
  fluoro-; photochemical synthesis of, based on tetrafluoroethylene, 345
Alkenes
  2,2-bis(trifluoromethyl)-4,5-dihydro-1,3,5-triazepines from 4,4-bis(trifluoromethyl)-1,3-diazabuta-1,3-dienes, 51
  photochemical synthesis of fluoroalkanols based on tetrafluoroethylene, 345
  reactions of perchlorofluoro compounds; reaction of 1,1-dichlorohexafluoro-1-butene with some nucleophiles, 69
  synthesis of alkyl perfluoroalkyl ketones; reactions of allyl perfluoroalkanoates with acyl chlorides in presence of Pd(0), 355
  synthesis of α-fluoromethyl ketones via allene epoxides, 435
  telomerisation of tetrafluoroethylene with carbon tetrachloride by redox catalysis, 215
  tetrakis(dimethylamino)ethylene/trifluoroiodomethane; specific novel trifluoromethylating agent, 429
Amines
  and alcohols and Si compounds; reactions of phenyltellurium(VI) fluorides with, 173
Anticancer drug development
  applications in; perfluoroarenes as novel and selective protecting reagents, 3
Antimony
  preparation of pentafluorophenyl Sb(III) and Sb(V) halides and mixed halides, 163
Arenes
  perfluoro-, as novel and selective protecting reagents; applications in anticancer drug development, 3
Aromatic compounds
  heterocyclic systems containing bridgehead nitrogen atom; orientation of cyclization in synthesis of 8-fluorothiazolo-[3,2-*a*]-benzimidazol-3(2*H*)-one, 245
  some peculiarities of radical reactions of polyfluoroaromatic compounds, 301
  perfluoroarenes as novel and selective protecting reagents; applications in anticancer drug development, 3
  (perhalogenomethylthio)heterocycles; synthesis of N-substituted 2,3,4,5-tetrakis(trifluoromethylthio)pyrroles, 265
  preparation of pentafluorophenyl Sb(III) and Sb(V) halides and mixed halides, 163
  reactions of phenyltellurium(VI) fluorides with alcohols, amines and Si compounds, 173
  synthesis:
    of fluorine-containing aromatic heterocyclic compounds; reactions of 3,5-dinitro-4-chlorobenzotrifluoride and 2-chloro-5-trifluoromethylphenyl isocyanide dichloride with gossypol and apogossypol, 279
    and mass fragmentation pattern of fluorinated spiro [3H-indole-3,9′-[9H] xanthene]-1′,2,8′ (1H,2′H,5′H)-triones, 149
    of some substituted 8-trifluoromethylnitrophenothiazines, 201
  1,1,1-trichloro-3-[5-(2,4,6-trifluoropyrimidyl)]-3,4-epoxybutane, 179

Barium
  new Ba–Ta–oxide–fluoride; $Ba_5F[TaF_8]-[TaF_6O]_2$, 413

© Elsevier Sequoia/Printed in The Netherlands

Blood substitutes
methods for forecasting usefulness of perfluorocarbons for, 403
Bromine
laser-powdered homogeneous decomposition of 1-bromo-1-chloro-2,2,2-trifluoroethane, 233
perfluoro-N-octylpalladium and -zinc bromides; remarkably stable coordinatively unsaturated organometallics, 93

Carbonyls
reaction of phosphorus pentachloride with perhalo carbonyl-containing compounds, 371
Catalysis
phase-transfer; functionalisation of F-alkyl-2 ethane iodides by; importance of this technique in F-alkyl group, 59
redox; telomerisation of tetrafluoroethylene with carbon tetrachloride by, 215
Chlorine
laser-powdered homogeneous decomposition of 1-bromo-1-chloro-2,2,2-trifluoroethane, 233
reaction of phosphorus pentachloride with perhalo carbonyl-containing compounds, 371
reactions of perchlorofluoro compounds; reaction of 1,1-dichlorohexafluoro-1-butene with some nucleophiles, 69
synthesis of alkyl perfluoroalkyl ketones; reactions of allyl perfluoroalkanoates with acyl chlorides in presence of Pd(0), 355
synthesis of fluorine-containing aromatic heterocyclic compounds; reactions of 3,5-dinitro-4-chlorobenzotrifluoride and 2-chloro-5-trifluoromethylphenyl isocyanide dichloride with gossypol and apogossypol, 279
telomerisation of tetrafluoroethylene with carbon tetrachloride by redox catalysis, 215
1,1,1-trichloro-3-[5-(2,4,6-trifluoropyrimidyl)]-3,4-epoxybutane, 179
Cyanide
synthesis of fluorine-containing aromatic heterocyclic compounds; reactions of 3,5-dinitro-4-chlorobenzotrifluoride and 2-chloro-5-trifluoromethylphenyl isocyanide dichloride with gossypol and apogossypol, 279
Cyclization
orientation of, in synthesis of 8-fluorothiazolo-[3,2-*a*]benzimidazol-3(2*H*)-one; heterocyclic systems containing bridgehead nitrogen atom, 245

Decomposition
laser-powdered homogeneous, of 1-bromo-1-chloro-2,2,2-trifluoroethane, 233
Dienes
2,2-bis(trifluoromethyl)-4,5-dihydro-1,3,5-triazepines from 4,4-bis(trifluoromethyl)-1,3-diazabuta-1,3-dienes, 51
Drug development
anticancer; applications in; perfluoroarenes as novel and selective protecting reagents, 3

Epoxides
allene; synthesis of α-fluoromethyl ketones via, 435
Epoxybutane
1,1,1-trichloro-3-[5-(2,4,6-trifluoropyrimidyl)]-3,4-epoxybutane, 179
Esters
photooxidation of perhalofluorosulphinates; simple and effective method for synthesis of perhalofluorocarboxylic acids and their esters from corresponding sulphonyl fluorides, 145
silver (fluorosulphonyl)difluoroacetate – new route to fluorosulphonyl esters, 187

Flash vacuum thermolysis
of some products derived from pentamer and hexamer oligomers; reactions of tetrafluoroethane oligomers, 389

Fluorides

New Ba–Ta–oxide–fluoride; $Ba_5F[TaF_8]$-$[TaF_6O]_2$, 413
Crystalline Li_3ThF_7; X-ray diffraction and NMR studies, 41
NMR study of ionic conductivity in Li_3ThF_7; comparison of crystalline and amorphous materials, 31
Photooxidation of perhalofluorosulphinates; simple and effective method for synthesis of perhalofluorocarboxylic acids and their esters from corresponding sulphonyl fluorides, 145
Reactions of phenyltellurium(VI) fluorides with alcohols, amines and Si compounds, 173

di-
New synthesis routes for difluorides MF_2 (M = Fe, Mn, Zn and Ni), 257

tri-
Aminosulphur trifluorides; relative thermal stability, 137
Synthesis of fluorine-containing aromatic heterocyclic compounds; reactions of 3,5-dinitro-4-chlorobenzotrifluoride and 2-chloro-5-trifluoromethylphenyl isocyanide dichloride with gossypol and apogossypol, 279

tetra-
N-fluorosulphonyl-sulphurtetrafluorideimide, $FSO_2-N=SF_4$, 81

Fluorine
Synthesis of fluorine analogues of protoporphyrin, 293
Synthesis of fluorine-containing aromatic heterocyclic compounds; reactions of 3,5-dinitro-4-chlorobenzotrifluoride and 2-chloro-5-trifluoromethylphenyl isocyanide dichloride with gossypol and apogossypol, 279

Fluoro-compounds
Functionalisation of F-alkyl-2 ethane iodides by phase-transfer catalysis; importance of this technique in F-alkyl group, 59
Heterocyclic systems containing bridgehead nitrogen atom; orientation of cyclization in synthesis of 8-fluorothiazolo-[3,2-*a*]benzimidazol-3(2*H*)-one, 245
Mass spectra of partially fluorinated β-diketonate complexes of Zr, 287
N-fluorosulphonyl-sulphurtetrafluorideimide, $FSO_2-N=SF_4$, 81
Photochemical synthesis of fluoroalkanols based on tetrafluoroethylene, 345
Photooxidation of perhalofluorosulphinates; simple and effective method for synthesis of perhalofluorocarboxylic acids and their esters from corresponding sulphonyl fluorides, 145
Reactions of perchlorofluoro compounds; reaction of 1,1-dichlorohexafluoro-1-butene with some nucleophiles, 69
Silver (fluorosulphonyl)difluoroacetate – new route to fluorosulphonyl esters, 187
Synthesis:
of new bis/mono fluorinated sultones and their derivatives, 119
of fluorine-containing aromatic heterocyclic compounds; reactions of 3,5-dinitro-4-chlorobenzotrifluoride and 2-chloro-5-trifluoromethylphenyl isocyanide dichloride with gossypol and apogossypol, 279
of α-fluoromethyl ketones via allene epoxides, 435
and mass fragmentation pattern of fluorinated spiro [3H-indole-3,9'-[9H] xanthene]-1',2,8' (1H,2'H,5'H)-triones, 149

tri-
2,2-Bis(trifluoromethyl)-4,5-dihydro-1,3,5-triazepines from 4,4-bis(trifluoromethyl)-1,3-diazabuta-1,3-dienes, 51
Laser-powdered homogeneous decomposition of 1-bromo-1-chloro-2,2,2-trifluoroethane, 233
(Perhalogenomethylthio)heterocycles; synthesis of N-substituted 2,3,4,5-tetrakis(trifluoromethylthio)pyrroles, 265
Reactions of bis(trifluoromethyl)nitroxyl with germane, 87
Synthesis of optically active building blocks carrying α,α-dihalogeno-β,β,β-trifluoroethyl group, 17
Synthesis of some substituted 8-trifluoromethylnitrophenothiazines, 201
Tetrakis(dimethylamino)ethylene/trifluoroiodomethane; specific novel trifluoromethylating agent, 429
1,1,1-Trichloro-3-[5-(2,4,6-trifluoropyrimidyl)]-3,4-epoxybutane, 179

tetra-
Reactions of tetrafluoroethane oligomers; flash vacuum thermolysis of some products derived from pentamer and hexamer oligomers, 389
Telomerisation of tetrafluoroethylene with carbon tetrachloride by redox catalysis, 215

penta-
Preparation of pentafluorophenyl Sb(III) and Sb(V) halides and mixed halides, 163

poly-
Some peculiarities of radical reactions of polyfluoroaromatic compounds, 301
Synthesis of terephthalic acids containing polyfluoroalkyl groups, 105

per-
Methods for forecasting usefulness of perfluorocarbons for blood substitutes, 403

Perfluoroarenes as novel and selective protecting reagents; applications in anticancer drug development, 3
Perfluoro-N-octylpalladium and -zinc bromides; remarkably stable coordinatively unsaturated organometallics, 93
Synthesis of alkyl perfluoroalkyl ketones; reactions of allyl perfluoroalkanoates with acyl chlorides in presence of Pd(0), 355

Germane
reactions of bis(trifluoromethyl)nitroxyl with, 87
Gossypol and apogossypol
synthesis of fluorine-containing aromatic heterocyclic compounds; reactions of 3,5-dinitro-4-chlorobenzotrifluoride and 2-chloro-5-trifluoromethylphenyl isocyanide dichloride with, 279

Halides
preparation of pentafluorophenyl Sb(III) and Sb(V) halides and mixed halides, 163
Halo-compounds
photooxidation of perhalofluorosulphinates; simple and effective method for synthesis of perhalofluorocarboxylic acids and their esters from corresponding sulphonyl fluorides, 145
reaction of phosphorus pentachloride with perhalo carbonyl-containing compounds, 371
Halogeno-compounds
(perhalogenomethylthio)heterocycles; synthesis of N-substituted 2,3,4,5-tetrakis(trifluoromethylthio)pyrroles, 265
synthesis of optically active building blocks carrying α,α-dihalogeno-β,β,β-trifluoroethyl group, 17
Heterocycles
(perhalogenomethylthio)-; synthesis of N-substituted 2,3,4,5-tetrakis(trifluoromethylthio)pyrroles, 265
synthesis of fluorine-containing aromatic heterocyclic compounds; reactions of 3,5-dinitro-4-chlorobenzotrifluoride and 2-chloro-5-trifluoromethylphenyl isocyanide dichloride with gossypol and apogossypol, 279
systems containing bridgehead nitrogen atom; orientation of cyclization in synthesis of 8-fluorothiazolo-[3,2-*a*]-benzimidazol-3(2*H*)-one, 245

Iodine
functionalisation of F-alkyl-2 ethane iodides by phase-transfer catalysis; importance of this technique in F-alkyl group, 59
tetrakis(dimethylamino)ethylene/trifluoroiodomethane; specific novel trifluoromethylating agent, 429
Ionic conductivity
NMR study of, in Li_3ThF_7; comparison of crystalline and amorphous materials, 31
Iron
new synthesis routes for difluorides MF_2 (M = Fe, Mn, Zn and Ni), 257

Ketones
α-fluoromethyl, via allene epoxides; synthesis of, 435
synthesis of alkyl perfluoroalkyl ketones; reactions of allyl perfluoroalkanoates with acyl chlorides in presence of Pd(0), 355

Lithium
crystalline Li_3ThF_7; X-ray diffraction and NMR studies, 41
NMR study of ionic conductivity in Li_3ThF_7; comparison of crystalline and amorphous materials, 31

Manganese
new synthesis routes for difluorides MF_2 (M = Fe, Mn, Zn and Ni), 257

Nickel
new synthesis routes for difluorides MF_2 (M = Fe, Mn, Zn and Ni), 257
Nucleophiles
reactions of perchlorofluoro compounds; reaction of 1,1-dichlorohexafluoro-1-butene with some, 69

Oligomers
reactions of tetrafluoroethane oligomers; flash vacuum thermolysis of some products derived from pentamer and hexamer oligomers, 389
Optical activity
synthesis of optically active building blocks carrying α,α-dihalogeno-β,β,β-trifluoroethyl group, 17

Palladium
perfluoro-N-octylpalladium and -zinc bromides; remarkably stable coordinatively unsaturated organometallics, 93

synthesis of alkyl perfluoroalkyl ketones; reactions of allyl perfluoroalkanoates with acyl chlorides in presence of Pd(0), 355
Phosphorus
reaction of phosphorus pentachloride with perhalo carbonyl-containing compounds, 371
Photochemical synthesis
of fluoroalkanols based on tetrafluoroethylene, 345
Photooxidation
of perhalofluorosulphinates; simple and effective method for synthesis of perhalofluorocarboxylic acids and their esters from corresponding sulphonyl fluorides, 145
Polymers
'polymer fume fever' without polymer, 441
reactions of tetrafluoroethane oligomers; flash vacuum thermolysis of some products derived from pentamer and hexamer oligomers, 389
Protoporphyrin
synthesis of fluorine analogues of, 293

Silicon
reactions of phenyltellurium(VI) fluorides with alcohols, amines and Si compounds, 173
Silver
silver (fluorosulphonyl)difluoroacetate – new route to fluorosulphonyl esters, 187
Spectroscopy
crystalline Li_3ThF_7; X-ray diffraction and NMR studies, 41
mass spectra of partially fluorinated β-diketonate complexes of Zr, 287
NMR study of ionic conductivity in Li_3ThF_7; comparison of crystalline and amorphous materials, 31
Spiro compounds
synthesis and mass fragmentation pattern of fluorinated spiro [3H-indole-3,9'-[9H] xanthene]-1',2,8' (1H,2'H,5'H)-triones, 149
Sulphur
aminosulphur trifluorides; relative thermal stability, 137
heterocyclic systems containing bridgehead nitrogen atom; orientation of cyclization in synthesis of 8-fluorothiazolo-[3,2-*a*]-benzimidazol-3(2*H*)-one, 245
N-fluorosulphonyl-sulphurtetrafluoride-imide, $FSO_2-N=SF_4$, 81
(perhalogenomethylthio)heterocycles; synthesis of N-substituted 2,3,4,5-tetrakis(trifluoromethylthio)pyrroles, 265
photooxidation of perhalofluorosulphinates; simple and effective method for synthesis of perhalofluorocarboxylic acids and their esters from corresponding sulphonyl fluorides, 145
silver (fluorosulphonyl)difluoroacetate – new route to fluorosulphonyl esters, 187
synthesis of some substituted 8-trifluoromethylnitrophenothiazines, 201
Sultones
new bis/mono fluorinated, and their derivatives; synthesis of, 119

Tantalum
new Ba–Ta–oxide–fluoride; $Ba_5F[TaF_8]-[TaF_6O]_2$, 413
Tellurium
reactions of phenyltellurium(VI) fluorides with alcohols, amines and Si compounds, 173
Telomerisation
of tetrafluoroethylene with carbon tetrachloride by redox catalysis, 215
Terephthalic acids
synthesis of, containing polyfluoroalkyl groups, 105
Thermal stability
relative; aminosulphur trifluorides, 137
Thermolysis
flash vacuum, of some products derived from pentamer and hexamer oligomers; reactions of tetrafluoroethane oligomers, 389
Thorium
crystalline Li_3ThF_7; X-ray diffraction and NMR studies, 41
NMR study of ionic conductivity in Li_3ThF_7; comparison of crystalline and amorphous materials, 31
Triazepines
2,2-bis(trifluoromethyl)-4,5-dihydro-1,3,5-triazepines from 4,4-bis(trifluoromethyl)-1,3-diazabuta-1,3-dienes, 51

Xanthene
synthesis and mass fragmentation pattern of fluorinated spiro [3H-indole-3,9'-[9H] xanthene]-1',2,8' (1H,2'H,5'H)-triones, 149
X-ray diffraction
and NMR studies; crystalline Li_3ThF_7, 41

Zinc
perfluoro-N-octylpalladium and -zinc bromides; remarkably stable coordinatively unsaturated organometallics, 93
new synthesis routes for difluorides MF_2 (M = Fe, Mn, Zn and Ni), 257
Zirconium
mass spectra of partially fluorinated β-diketonate complexes of Zr, 28